

Boundless Design

Step into a space designed to engage, evolve and revitalize the senses. The Living Systems collection provides a warm and holistic experience for the places where we heal, learn and work. The collection features two Quick Ship patterns—Boundless, a more organic free-flowing visual, and Source, a multi-directional pattern.

Focused on the principles of a circular economy, Living Systems is Cradle to Cradle Certified™ Silver. With its Ecoworx® backing, we can reclaim and recycle the product at the end of its useful life.

COVER PHOTO: BOUNDLESS (5T314) IN COLOR FLORA (05411) | INSTALLED BRICK + OBSERVE COLOR (5T309) IN COLOR WILD FLORA (05411) | INSTALLED BRICK + BOUNDLESS (5T314) IN COLOR WILD (05557) | INSTALLED HERRINGBONE

PICTURED HERE: **SOURCE (5T315)** IN COLOR WILD (05557) | INSTALLED HERRINGBONE + **SOURCE (5T315)** IN COLOR FLORA (05411) | INSTALLED BRICK







Adaptive Design

This flexible and design-led collection allows for endless creative possibilities. With various applications for product transition and a variety of colors, interior spaces are as functional as they are unforgettable.

Living Systems offers two Quick Ship styles— *Boundless* and *Source*, each in 18 colors. With Quick Ship, door to floor delivery gives designers fast-track service for projects that demand fast turnarounds without compromising creativity.




Harmonious Design

Boundless and Source, both small-scale organic patterns, complement the entire Living Systems collection and its coordinating colorpoint styles. With integral patterns and colors, designers have a variety of choices to create aesthetic cohesion throughout the built environment.



OBSERVE (5T306) IN COLOR RADIANT (05515) + RESPOND (5T307) IN COLOR RADIANT (05515) + TRANSFORM (5T308) IN COLOR RADIANT (05515) + ENDLESS (5T305) IN COLOR RADIANT (05515) | INSTALLED ASHLAR





Living Systems

Available up to 2,500 yards within two weeks or less.

specifications

style name style number construction fiber dye method

tufted weight gauge stitches per inch finished pile thickness average density kilotex product size secondary backing protective treatment(s) radiant panel nbs smoke electrostatic propensity

warranty*

boundless

multi-level pattern loop eco*solution Q® nylon 100% solution dyed

english units metric unit 17.0 oz./yd² 576.4 g/m² 39.4 per 10 cm 1/10 9.0 37 per 10 cm 0.083 inches 2.11 mm 7,373 oz./yd3 0.273 g/cm³

8 47

9 x 36 in. 22.9 x 91.4 cm

eco*worx® tile ssp® shaw soil protection (ASTM E 648) class I (ASTM E 662) less than 450 (AATCC 134) less than 3.5 kv, built-in permanent

conductive fiber

lifetime commercial limited

source

multi-level pattern loop eco*solution Q® nylon

100% solution dyed

english units metric unit 17.0 oz./yd² 576.4 g/m² 39.4 per 10 cm 1/10 10.0 41 per 10 cm 0.068 inches 1.73 mm 9,000 oz./yd3 0.334 g/cm³ 9.38

9 x 36 in. 22.9 x 91.4 cm

eco*worx® tile

ssp® shaw soil protection (ASTM E 648) class I (ASTM E 662) less than 450 (AATCC 134) less than 3.5 kv, built-in permanent

conductive fiber

lifetime commercial limited

*For detailed warranty and the most accurate information on recycled content visit shawcontract.com















folder re-order 5T314-46C

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 Dubai +971 4 313 2496 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 1 55 27 39 07 | San Francisco +1 415 955 1920 Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

This carpet is manufactured and sold for floor covering use only. Chair pads are recommended under office chairs with roller casters in order to protect appearance retention and to avoid premature wear. Walk off tiles are recommended at building entrances. As with all carpets, colors are subject to dye lot variations. Shading is the result of pile distortion and often is described as "watermarking". This does not constitute a manufacturing defect. To meet warranty requirements, approved adhesives and seam sealers must be used for glue-down application, consult shawcontract.com for more information. This carpet is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another carpet design is also strictly prohibited. Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing ses may necessitate specification changes without notice. Visit shawcontract.com/testing for more information.

